

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	13	(comput\$3 or calculat\$4 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2 with motion near3 model\$4 same motion adj1 vector near1 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:02
L8	4	7 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:05
L9	9	7 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:08
L10	2369	detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:14
L11	0	10 same motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near3(neighbor\$4 or "near") near5 (border\$1 or edge\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:22
L12	0	10 and motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near3(neighbor\$4 or "near") near5 (border\$1 or edge\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:22
L13	0	10 and motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$4 or "near") near5 (border\$1 or edge\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:23

EAST Search History

L14	0	motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$4 or "near") near5 (border\$1 or edge\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:23
L15	0	motion adj2 estimat\$5 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$5 or "near") near5 (border\$1 or edge\$1 or bound\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:26
L16	30	motion adj2 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:26
L17	1	10 and motion adj2 estimat\$5 with motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:27
L18	13	16 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:28
L19	0	16 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:28
L20	28	10 and motion adj2 estimat\$5 with motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:40

EAST Search History

L21	14	20 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 18:41
L22	150	motion near3 vector\$1 same occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 19:44
L23	104	L22 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3 or assign\$4 or match\$4) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 19:44
L24	18	23 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 19:45
L25	1	10 and (compar\$5 or match\$5) near7 motion adj1 vector\$1 near3(set\$1 or local) near7(model\$4 near3 motion adj1 vector\$1 or model-based near3 motion or model adj1 motion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 19:50
L26	3	10 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3 or assign\$4) near5 background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:15
L27	2	10 and motion near3 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:46

EAST Search History

L28	6	10 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:48
L29	5	28 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:49
L30	44	motion near3 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:53
L31	20	30 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:54
L32	1	31 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:54
L33	1	31 and detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:55
L34	21	10 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:58

EAST Search History

L35	5	34 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 20:59
L36	3	10 and (compar\$5 or match\$5 or best) near7 motion near3(set\$2 or local or background near3 motion) with (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1 or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:23
L37	15	(compar\$5 or match\$5 or best) near7 background near3 motion with (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1 or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:29
L38	1	37 and detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:30
L39	28	detect\$4 near3 background near3 motion same (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:31
L40	2	39 and detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:32
L41	2369	detect\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:38

EAST Search History

L42	6	41 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 21:39
L43	8024	382/236,232,250,251,253;375/240.16;348/402.1,413.1,416.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:10
L44	19	43 and detec\$4 near3 occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:10
L45	2	44 and (estimat\$4 or detect\$4) near3 background near3 motion same (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:11
L46	0	44 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:15
L47	23	43 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:16
L48	20	47 and (compar\$5 or match\$5 or best) near7 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:16

EAST Search History

L49	3	48 and model\$4 near3(motion or motion adj1 vector\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:18
L50	16	wittebrood-rimmert-b.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:21
L51	4	haan-gerard-de.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:22
L52	11	lodder-rogiel.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:22
L53	1	50 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:23
L54	0	51 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:23
L55	2	52 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/30 22:23

EAST Search History

L56	1	(computing and model and motion and vector and pixel and motion and model and motion and vector and field and image and comparing and motion and vector and motion and vectors and set and motion and vectors and selecting and motion and vector and set and motion and vectors and comparing and assigning and motion and vector and background and motion and vector).clm.	US-PGPUB	AND	OFF	2008/08/30 22:29
S1	61	detec\$4 near3 occlusion near3(region\$1 or area or segment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:31
S2	17	S1 and motion adj3 (vector\$2 or estimat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:32
S3	3	S2 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:37
S4	40	(select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:50
S5	2	S4 and motion near3 vector\$1 same model-based near3 motion adj1 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:51
S6	150	motion near3 vector\$1 same occlu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:53

EAST Search History

S7	18	S6 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:53
S8	17	S7 and (select\$4 or choos\$4 or calculat\$4) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:54
S9	10	S8 and (match\$4 or compar\$4) near3 motion adj3 vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 16:55
S10	0	(match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(pan-zoom or translation near3 zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:12
S11	3	(match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation near3 zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:13
S12	19	motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation near3 zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:14
S13	2	S12 and(select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:15

EAST Search History

S14	1	motion near5 model-based with(pan-zoom or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:17
S15	104	model-based with(pan-zoom or translation or zoom)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:17
S16	0	S15 and occlud\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:19
S17	1	S15 and occlud\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:19
S18	101	S6 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:21
S19	18	S18 and background near3 motion adj1 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:22
S20	106	detec\$4 near3 occlud\$5 same motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:49

EAST Search History

S21	32	S20 and motion near5 (model-based or model\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:50
S22	10	S21 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/29 17:51